TASK: UT20
CDRL: 04014
12 June 1992

UT20—Ada PCTE Binding Version Description Document Version 0.1

Informal Technical Data

STARS-TC-04014/001/00
12 June 1992

TASK: UT20
CDRL: 04014
12 June 1992

VERSION DESCRIPTION DOCUMENT

For The

SOFTWARE TECHNOLOGY FOR ADAPTABLE, RELIABLE SYSTEMS (STARS)

Ada PCTE Binding (AdaPCTE)
Version 0.1
SunOS Implementation

STARS-TC-04014/001/00
12 June 1992

Data Type: A005, Informal Technical Data

CONTRACT NO. F19628-88-D-0031
Delivery Order 0008

Prepared for:

Electronic Systems Division
Air Force Systems Command, USAF
Hanscom AFB, MA 01731-5000

Prepared by:

Paramax Systems Corporation
Tactical Systems
12010 Sunrise Valley Drive
Reston, VA 22091



TASK: UT20
CDRL: 04014
12 June 1992

VERSION DESCRIPTION DOCUMENT
Ada PCTE Binding (AdaPCTE)
Version 0.1
SunOS Implementation

Principal Author(s):

Robert C. Smith, Paramax, Valley Forge Labs *Date*

Michael J. Horton, Paramax, Valley Forge Labs *Date*

Approvals:

Thomas E. Shields 6/17/92

Task Manager *Dr. Thomas E. Shields* *Date*

(Signatures on File)

TASK: UT20
CDRL: 04014
12 June 1992

VERSION DESCRIPTION DOCUMENT
Ada PCTE Binding (AdaPCTE)
Version 0.1
SunOS Implementation

Change Record:

Data ID	*Description of Change*	*Date*	*Approval*
STARS-TC-04014/001/00	Original Issue	12 June 1992	*on file*

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AND DATES COVERED
	12 June 1992	Version Description Document

4. TITLE AND SUBTITLE
Ada PCTE Binding (AdaPCTE)
Version 0.1

5. FUNDING NUMBERS
F19628-88-D-0031

6. AUTHOR(S)
Paramax Systems Corporation

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)
Paramax System Corporation
12010 Sunrise Valley Drive
Reston, VA 22091

8. PERFORMING ORGANIZATION REPORT NUMBER
STARS-SC-04014/001/00

9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)
Department of the Air Force
Headquarters Electronic Systems Division
Hanscom AFB, MA 01731-5000

10. SPONSORING / MONITORING AGENCY REPORT NUMBER
04014

11. SUPPLEMENTARY NOTES

12a. DISTRIBUTION AVAILABILITY STATEMENT
Distribution "A"

12b. DISTRIBUTION CODE

13. ABSTRACT *(Maximum 200 words)*

The Ada Portable Common Tool Environment (PCTE) binding (AdaPCTE) provides Ada applications access to a PCTE object base as defined by the European Computer Manufacturers Association (ECMA) Ada PCTE specification (Standard ECMA-162 Ada Language Binding, December 1991). This "alpha" release provides a minimal set of interfaces to permit Ada developers to experiment with and evaluate PCTE for use in future Ada applications. It is expected that later releases will complete the binding.

14. SUBJECT TERMS
PCTE, Ada Bingings

15. NUMBER OF PAGES
14

16. PRICE CODE

17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT
Unclassified	Unclassified	Unclassified	SAR

Contents

1 SCOPE

1.1 Identification

Version Description Document,
Ada PCTE Binding (AdaPCTE),
Version 0.1,
SunOS Implementation

1.2 System Overview

The Ada Portable Common Tool Environment (PCTE) binding (AdaPCTE) provides Ada applications access to a PCTE object base as defined by the European Computer Manufacturers Association (ECMA) Ada PCTE specification (Standard ECMA-162 Ada Language Binding, December 1991). This "alpha" release provides a minimal set of interfaces to permit Ada developers to experiment with and evaluate PCTE for use in future Ada applications. It is expected that later releases will complete the binding.

2 RELATED SOFTWARE

Since no conforming implementations of ECMA PCTE exist as defined in Standard ECMA-149, AdaPCTE is implemented on GIE Emeraude's PCTE V12.2 Fix 7. Because only a subset of the ECMA PCTE Ada specification has been implemented for the 0.1 release, and because ECMA PCTE functionality differs somewhat from Emeraude PCTE functionality, the complete functionality of Emeraude PCTE is not available to Ada applications using these bindings.

3 VERSION DESCRIPTION

3.1 Inventory of Contents

The AdaPCTE distribution is structured as shown below. The top-level directory *adapcte* includes PostScript (**VDDadapcte.ps**) and clear ASCII text (**VDDadapcte.tty**) versions of this document, along with a complete directory listing of the distribution (**Contents.tty**, reproduced herein as **Appendix A**).

3.1.1 Directory: *adapcte/code*

The *adapcte/code* directory contains the Ada source files for the Ada binding to PCTE and the UNIX C-shell script *Build_AdaPCTE.csh*. *Build_AdaPCTE.csh* can be used to build the entire AdaPCTE Binding using the SunAda 1.0 Development System. No provisions within the build script have been made for installing the bindings in the PCTE object base.

Applications being developed on these bindings are expected to be developed within a UNIX environment and executable code files may be installed by the user in the PCTE object base (but are not required to be installed in the object base). The build script is reproduced herein as **Appendix B.2.**

3.1.2 Sub-directory: *adapcte/code/C*

This directory contains a small C file, *util.c*, containing utility routines used by AdaPCTE. The build script compiles this file in the target directory, and inserts a link directive in the Ada library, so users need not add *util.o* to link commands for any applications developed on these bindings.

3.2 Adaptation Data

3.2.1 Operating Environment

Sun-4 Workstations

SunOS, Version 4.1.2

Emeraude PCTE V12.2 Fix 7

3.2.2 Development Environment

Sun-4 Workstations

SunOS, Version 4.1.2

Emeraude PCTE V12.2 Fix 7

SunAda 1.0

C compiler

3.2.3 Configuration-unique Data

3.3 Interface Compatibility

AdaPCTE uses the recently adopted standard ECMA-162 for the Ada binding specification. Because no ECMA PCTE implementation is available, AdaPCTE is bound to GIE Emeraude's PCTE 1.5 V12.2 implementation written in "C". As a result, the AdaPCTE specification contains some minor modifications to ECMA-162. The exact specification of the implemented binding can be found in the Ada package specifications located in the directory */adapcte/code* in this delivery.

3.4 Installation Instructions

File *adapcte/code/Build_AdaPCTE.csh* is an executable UNIX C-shell script, which can be used interactively to build the AdaPCTE Binding from the Ada source code, using the SunAda 1.0 system. It ensures that library dependencies are established correctly, making it unnecessary for the installer to perform these operations manually.

3.4.1 Build Procedure

1. *(OPTIONAL)* - To prevent interactive prompting when executing the script, uncomment and edit the environment variables at the beginning of file *code/Build_AdaPCTE.var* (see **Appendix B.1**) to reflect the actual operating environment. The following environment variables must be modified:

   AdaPCTE - identifies the full pathname of the directory into which the AdaPCTE distribution has been loaded (e.g., /local/adapcte);

   COMPILERNAME - identifies the name of the compiler to be used;

   COMPVERSION - identifies the compiler version;

   COMPILERPATH - identifies the full pathname of the directory containing the SunAda compilation system (e.g., /local/sunada1.0);

   TARGET - identifies a *Build* directory to be used for building the software.

2. Execute *Build_AdaPCTE.csh*, providing configuration information when prompted by the script.

4 USER FEEDBACK

This version of AdaPCTE is considered an "alpha" release. The primary purpose of the release is to encourage experimentation with the software and to solicit feedback from the Ada and PCTE user communities. Thus, we would greatly appreciate your comments, suggestions, and criticisms.

5 NOTES

The full set of PCTE path names as described in the ECMA PCTE Abstract Specification (149) has not been implemented for this release. The following characters "_", ".", "~", and "/" plus alphanumeric characters are valid characters in AdaPCTE path names. The following are examples of valid AdaPCTE path names:

```
_/sun4.tools
~/.history.e
```

AdaPCTE Version 0.1 has not implemented all the interfaces defined in ECMA-162. The following describes which interfaces are implemented in Version 0.1 including any limitations.

```
Package Pcte
   Package Sequence
      function get
      procedure put
      procedure delete
      procedure copy
      function length_of
      function index_of
      function equal
      procedure normalize
   Package Reference
         -- These procedures use a limited form of path names as defined
         -- in the abstract spec.  You can use ~, _, ., .., / plus ascii
         -- characters
      function get_path
      procedure set_absolute
      procedure set_relative
      procedure unset
      -- New operations added by VFL
            function get_reference_id
            procedure set_reference_id

Package Pcte_contents
      --  This package is only implemented for files; no pipes or devices
   procedure close
   function get_position
   procedure open
   function read
   procedure seek
   procedure set_position
   procedure set_properties
   procedure write
   -- New operations added by VFL
      procedure standard_input
      procedure standard_output
      procedure standard_error
      function end_of_contents
      procedure write_s
         -- (writes a string)
      procedure read_s
```

```
         -- (reads a string)

Package Pcte_error
   procedure set
   procedure unset
   procedure set_will_raise
   procedure set_will_record
   function will_raise
   function will_record
   function last_error

Package Pcte_object
   procedure create
      -- can not specify another volume
   procedure delete
   procedure get_attribute
      -- for boolean, integer, natural and string types only
   procedure get_several_attributes
      -- for boolean, integer, natural and string types only
   function get_type
   procedure list_all_links
      -- does not support EXTERNAL extents
      -- does not support COMPOSITE scopes
      -- ignores links parameter
      -- none of the other 8 procedure variations of
      -- object_list_links is supported

Package Pcte_process
   procedure create_and_start
      -- no process objects created; just fire up a process
      -- local execution site only
   procedure set_working_schema
      -- for current process only
   procedure wait_for_any_child
   procedure wait_for_child

package Pcte_sds
   procedure get_link_type_properties
   procedure get_object_type_properties
   function get_type_name
      -- ignores any sds param value other than IN_WORKING_SCHEMA

package Pcte_link
   procedure get_attribute
      -- for boolean, integer, natural and string types only
```

```
procedure get_several_attributes
   -- for boolean, integer, natural and string types only
```

A Appendix: Inventory of Contents

```
NOTE: "*" identifies executables; "/" identifies directories.

adapcte:
Contents.tty
VDDadapcte.ps
VDDadapcte.tty
code/

adapcte/code:
Build_AdaPCTE.csh*
Build_AdaPCTE.var
C/
Pcte.a
Pcte_accounting.a
Pcte_activity.a
Pcte_audit.a
Pcte_b.a
Pcte_contents.a
Pcte_contents_b.a
Pcte_discretionary.a
Pcte_discretionary_b.a
Pcte_error.a
Pcte_error_b.a
Pcte_limit.a
Pcte_mandatory.a
Pcte_mandatory_b.a
Pcte_message.a
Pcte_notify.a
Pcte_object_b.a
Pcte_oms.a
Pcte_oms_b.a
Pcte_process.a
Pcte_process_b.a
Pcte_queue.a
Pcte_replicated_object.a
Pcte_sds.a
Pcte_sds_b.a
Pcte_time.a
Pcte_vol_dev_archi.a
Pcte_workstation.a
emer_conversion.a
error.a
error_b.a
```

```
errors_c.a
pcte_1_5_int.a
pcte_1_5_support.a
pcte_1_5_support_b.a

adapcte/code/C:
util.c
```

B Appendix: Build Scripts

B.1 Script: *Build_AdaPCTE.var*

```
#
#  Uncomment and edit these lines if you do not want to
#  be prompted for the environment variables
#
setenv ADAPCTE       /local/adapcte
setenv COMPILERNAME  sunada      # set to sunada
setenv COMPVERSION   SunAda1.0   # e.g. SunAda1.0; not tested on SunAda1.1
setenv COMPILERPATH  /local/SunAda
setenv TARGET        $ADAPCTE/Build_$COMPVERSION

 #
 # Define the location of the  RGB source code directories.
 #

 if ( ! $?ADAPCTE ) then
   echo ""
   echo "Specify path to top level Ada PCTE directory "
   echo "(e.g. /local/adapcte ) "
   echo ""
   echo -n "          ADAPCTE = "
   setenv ADAPCTE $<
   echo ""
 endif
 if ( ! -e $ADAPCTE ) then
   echo ""
   echo "** $ADAPCTE does not exist **"
   echo "** Script aborted **"
   echo ""
   unsetenv ADAPCTE
   exit -1
 endif



 #
 # Define C Language compilation variable
 #
 setenv CC            " cc -g -c "


```

```
#
# Determine the Ada compilation system to use
#
#
# Establish a path to the SunAda compilation system
#
if ( ! $?COMPILERNAME || ! $?COMPVERSION || ! $?COMPILERPATH ) then
  echo ""
  echo "Please select your compiler name:  [sunada] "
  echo ""
  echo -n "  COMPILERNAME = "
  setenv COMPILERNAME $<
  echo ""
  switch ($COMPILERNAME)
    case Vads:
    case VADS:
    case vads:
      echo -n "Are you building with VADS Version 6.0.3? [y,n](n) "
      set COMPVERSION = $<
      echo ""
      switch ($COMPVERSION)
        case Y:
        case y:
          set COMPVERSION = Vads603
          breaksw
        case N:
        case n:
        default:
          set COMPVERSION = Vads
          echo ""
          echo "Warning!  Software not tested under your version of the VADS com
piler."
          breaksw
      endsw
    breaksw
    case SunAda:
    case Sunada:
    case sunada:
      echo -n "Which version of SunAda are you using? [0,1](0) "
      set COMPVERSION = $<
      echo ""
      switch ($COMPVERSION)
        case 1:
          set COMPVERSION = SunAda1.1
          echo "Warning!  Software not tested under your version of the SunAda compiler."
```

```
87            breaksw
88          case 0:
89          default:
90            set COMPVERSION = SunAda1.0
91          breaksw
92        endsw
93      breaksw
94      default:
95        echo ""
96        echo "You must specify a compiler name."
97        echo ""
98        unsetenv COMPVERSION
99        exit -1
100        breaksw
101      endsw
102
103      echo ""
104      echo "Specify path to the compiler (e.g. /local/SunAda)"
105      echo ""
106      echo -n "   COMPILERPATH = "
107      setenv COMPILERPATH $<
108      if ( ( $COMPILERPATH == ) || ( ! -e $COMPILERPATH/bin/ada ) ) then
109        echo ""
110        echo "** Cannot find Ada compiler in $COMPILERPATH/bin **"
111        echo "** Script aborted **"
112        echo ""
113        unsetenv COMPILERPATH
114        exit -1
115      endif
116  endif
117  if ( -e $COMPILERPATH/bin/ada ) then
118    if ( $COMPILERNAME == "sunada" || $COMPILERNAME == "vads" ) then
119      setenv COMPILERBIN $COMPILERPATH/bin
120      setenv COMPILE     "$COMPILERBIN/ada -v -O0 "
121      setenv LINK        "$COMPILERBIN/a.ld "
122    endif
123  else
124    echo ""
125    echo "** Cannot find $COMPILERPATH/bin/ada **"
126    echo "** Script aborted **"
127    echo ""
128    unsetenv COMPILERPATH
129    exit -1
130  endif
131
```

```
132
133 #
134 # Define the Destination of the ADAPCTE build
135 #   where  TARGET = path to build destination (e.g. $ADAPCTE/Build_SunAda1.0)
136 #
137 if ( ! $?TARGET ) then
138   echo ""
139   echo "Specify the path to the TARGET directory "
140   echo "(Defaults to $ADAPCTE/Build_${COMPVERSION}) "
141   echo ""
142   echo -n "         TARGET = "
143   setenv TEMP $<
144   echo ""
145   if ( $TEMP == ) then   # check for null entry
146     setenv TARGET  $ADAPCTE/Build_${COMPVERSION}
147     unsetenv TEMP
148   else
149     setenv TARGET $TEMP
150     unsetenv TEMP
151   endif
152 endif
153
154 echo ""
155 echo "         TARGET = $TARGET"
156 echo ""
157 echo "        ADAPCTE = $ADAPCTE"
158 echo ""
159 echo "   COMPILERNAME = $COMPILERNAME"
160 echo "    COMPVERSION = $COMPVERSION"
161 echo "   COMPILERPATH = $COMPILERPATH"
162 echo "        COMPILE = $COMPILE"
163 echo "           LINK = $LINK"
164
165 #
166 # Create the directories for the build
167 #
168 if ( ! -d $TARGET ) mkdir $TARGET
169
170
171
```

B.2 Script: *Build_AdaPCTE.csh*

```
1  #! /bin/csh -f
2  echo ""
3  echo "Defining installation-dependent variables"
4  echo ""
5  source Build_AdaPCTE.var
6
7  echo ""
8  echo "Building Ada libraries for the Ada Bindings to PCTE"
9  echo ""
10
11  if ! -e $TARGET mkdir $TARGET
12  if ! -e $TARGET/C mkdir $TARGET/C
13
14  cd $TARGET
15
16  if ( ( $COMPILERNAME == "vads" ) || ($COMPILERNAME == "sunada" ) ) then
17    if ( ! -e ada.lib ) then
18      $COMPILERBIN/a.mklib -f $TARGET $COMPILERPATH/verdixlib
19      $COMPILERBIN/a.info -a WITH1 $TARGET/util.o
20    endif
21  endif
22
23  echo ""
24  echo "Creating source code links in $ADAPCTE/code"
25  echo ""
26  foreach file ($ADAPCTE/code/*.a)
27    if (! -e ${file:t} ) ln -s $file ${file:t}
28  end
29
30  foreach file ($ADAPCTE/code/C/*)
31    if (! -e ${file:t} ) ln -s $file ${file:t}
32  end
33
34  rm -rf LOGadapcte
35
36  echo ""
37  echo "Compiling the Ada PCTE binding source"
38  echo ""
39
40  $COMPILE Pcte_error.a                    >>& LOGadapcte
41  $COMPILE Pcte.a                          >>& LOGadapcte
42  $COMPILE Pcte_contents.a                 >>& LOGadapcte
43  $COMPILE Pcte_replicated_object.a        >>& LOGadapcte
```

```
44  $COMPILE Pcte_message.a                    >>& LOGadapcte
45  $COMPILE Pcte_error_b.a                    >>& LOGadapcte
46  $COMPILE Pcte_notify.a                     >>& LOGadapcte
47  $COMPILE Pcte_discretionary.a              >>& LOGadapcte
48  $COMPILE Pcte_mandatory.a                  >>& LOGadapcte
49  $COMPILE Pcte_audit.a                      >>& LOGadapcte
50  $COMPILE Pcte_mandatory_b.a                >>& LOGadapcte
51  $COMPILE Pcte_workstation.a                >>& LOGadapcte
52  $COMPILE Pcte_discretionary_b.a            >>& LOGadapcte
53  $COMPILE Pcte_process.a                    >>& LOGadapcte
54  $COMPILE emer_conversion.a                 >>& LOGadapcte
55  $COMPILE Pcte_vol_dev_archi.a              >>& LOGadapcte
56  $COMPILE errors_c.a                        >>& LOGadapcte
57  $COMPILE error.a                           >>& LOGadapcte
58  $COMPILE error_b.a                         >>& LOGadapcte
59  $COMPILE pcte_1_5_int.a                    >>& LOGadapcte
60  $COMPILE pcte_1_5_support.a                >>& LOGadapcte
61  $COMPILE pcte_1_5_support_b.a              >>& LOGadapcte
62  $COMPILE Pcte_process_b.a                  >>& LOGadapcte
63  $COMPILE Pcte_contents_b.a                 >>& LOGadapcte
64  $COMPILE Pcte_b.a                          >>& LOGadapcte
65  $COMPILE Pcte_oms.a                        >>& LOGadapcte
66  $COMPILE Pcte_object_b.a                   >>& LOGadapcte
67  $COMPILE Pcte_oms_b.a                      >>& LOGadapcte
68  $COMPILE Pcte_time.a                       >>& LOGadapcte
69  $COMPILE Pcte_sds.a                        >>& LOGadapcte
70  $COMPILE Pcte_sds_b.a                      >>& LOGadapcte
71  $COMPILE Pcte_queue.a                      >>& LOGadapcte
72  $COMPILE Pcte_accounting.a                 >>& LOGadapcte
73  $COMPILE Pcte_activity.a                   >>& LOGadapcte
74  $COMPILE Pcte_limit.a                      >>& LOGadapcte
75
76
77  echo ""
78  echo "Compiling the C code"
79  echo ""
80  $CC util.c                                 >>&  LOGadapcte
81
82  echo ""
83  echo "Compilation Complete"
```